17.5% Calcium Addressing Deficiency in a Range of Crops



Cal 1750[™]

Product Code: SNPK0051

Benefits of Cal 1750

- Cal 1750 will assist in improving fruit calcium levels in pome and stone fruit and reduce the incidence of calcium-related disorders such as bitter pit, internal cork and lenticel blotch.
- Assists in the prevention of disorders such as tip burn in strawberries and blossom end rot in tomatoes.
- · Softened and buffered to minimise phytotoxicity.
- Also contains a non-ionic surfactant for enhanced uptake.
- Suitable for foliar application and post-harvest dipping.
- Compatible with a wide range of agricultural chemicals and other SLTEC® fluid fertilizers. Contact SLTEC® for more information.
- Can be used to aid in the prevention of rain-induced fruit cracking in cherries.

Don't forget about boron (B), a micro nutrient that can be hard for trees to pick up, especially in drier soil environments. If boron is low it may enhance the effects of calcium related disorders.

SLTEC® Boron Complex offers 15% boron for foliar application.

Guaranteed Analysis (w/v)

 Calcium (Ca)
 17.5%

 Chlorine (Cl)
 31.0%

 Specific Gravity
 1.367 kg/L

 pH
 7.0 - 9.0

Typical Application Rates

Foliar:

3 to 12 L/ha Horticulture use 200 to 2,000 L/ha water Broadacre use at least 100 L/ha water



Contact:

T: 1800 768 224

E: enquiries@sltec.com.au

www.sltec.com.au

Cal 1750

17.5% calcium addressing deficiency in a range of crops



- Investment
- Service